



Tender ID: 21207 [Procurement of Agriculture Tools and Equipment for Ministry of Agriculture and Livestock (FY 2025-2026)]
Evaluation Result (Item-wise Winner List)

Item No.	Name of the Item	Technical Specification	Unit	Quoted Rate (Nu.)	Selected Bidder
1	Aluminum Tag	4x1.5 inches (mark easily with a pen, pencil or any pointed object)	Pkts (250pcs/pkt)	870	NEWAR ENTERPRISE
2	Brush Cutter Machine (Back Pack)	Single cylinder, 2 stock gasoline engine. Displacement: 41.5 cc, Power Output-1.47 kw. Power speed: 7500 rpm. Fuel Tank Cap: 1.3L. (Husqvarna/equivalent)	Number	19000	Oli Enterprises
3	Brush Cutter Machine (Back Pack)	Single cylinder, 2 stock gasoline engine. Single cylinder, 2 stock gasoline engine. Displacement: 33.6 cc, Power Output-1.1 kw. Power speed: 7500 rpm. Fuel Tank Cap: 1.3L. (Husqvarna/equivalent)	Number	17410	Oli Enterprises
4	Budding & Pruning Knife (2 in 1)	Blade: Curved blade, pointed tip blade & brass bark lifter blade. Total length: 100mm. (Swiss made/equivalent)	Number	735	DRUK WANGMO SUPPLIER
5	Crowbar	22mm (Tata/equivalent)	Number	520	Sherab Enterprise Private Limited
6	Crowbar	25mm (Tata/equivalent)	Number	675	Sherab Enterprise Private Limited
7	Electric Motor (for Grinder machine)	15 hp motor-any brand	Number	64500	DRUK WANGMO SUPPLIER
8	Electric platform weighing scale (100kg)	Weighing Capacity: 100 Kg, Frame Cover: Stainless Steel. LCD Display with high brightness and contrast.	Number	5600	Oli Enterprises
9	Electric platform weighing scale (50kg)	Weighing Capacity: 50 Kg Frame Cover: Stainless Steel, LCD Display with high brightness and contrast.	Number	5300	Oli Enterprises
10	Electric platform weighing scale (10kg)	Weighing Capacity: 10 Kg, Stainless Steel, LCD Display with high brightness and contrast.	Number	1475	D.D Shop
11	Garden rake	3 teeth	Number	195	D.D Shop
12	Garden rake	7/more teeth	Number	195	D.D Shop
13	Grafting knife	Steel stainless steel blade, bevelled on one side and very curved. Suitable for corner or whip and tongue grafting. (Felco/equivalent)	Number	525	DRUK HORTICULTURE PRIVATE LIMITED
14	Grafting Tape	(1 inch x 100 Meter): Waterproof, flexible, stretchable and self-adhesive with self-adhesive, gentle stretching tape quality.	Number	125	D.D Shop
15	Grafting wax	Type: Agricultural use Components: Paraffin wax, rosin, beeswax and vegetable oil.	Block (500gm)	200	WOEZER ENTERPRISE
16	Grass Cutter Line/thread	Nylon material	per meter	10	THINLEY NORBU ENTERPRISE
17	Gunny Bag	Material Type: Nylon/Capacity: 20-25 kg	Piece	15	WOEZER ENTERPRISE
18	Gunny Bag	Material Type: Nylon/ Capacity: 50 kg	Piece	10	WOEZER ENTERPRISE
19	Gunny Bag	Material Type: Jute/ Capacity: 20-25 kg	Piece	15	WOEZER ENTERPRISE
20	Gunny Bag	Material Type: Jute Capacity: 50 kg	Piece	12	WOEZER ENTERPRISE
21	Hand glove	Cotton	Pair	50	Sherab Enterprise Private Limited
22	Hand glove	Long sleeve (rubber)	Pair	92	D.D Shop
23	Hand glove	Short sleeve (rubber)	Pair	40	Oli Enterprises
24	Hedge Shear	Wooden handle with high quality steel blade. Total length: 56 cm /Handle length: 27.5 cm/Blade length: 19 cm. (Solo/equivalent)	Number	795	PP Traders
25	Hedge Trimmer	Displacement: 21.7cc, Idle Speed: 2900 rpm, Max. Engine Power-0.6kw, Blade Type-Double Sided, Cutting Length: 450mm. (Husqvarna/equivalent)	Number	12800	Bhutan Agri-Tech
26	Hoe/Kutty (Local-made)	Flat end blade with handle	Number	125	D.D Shop
27	Hoe/Kutty (Local-made)	V-shaped blade with handle	Number	120	NEWAR ENTERPRISE
28	Insect Proof Net	40-50 mesh (2 meter width & 50 meter length) with UV protection & 150 gsm.	per meter	50	DRUK HORTICULTURE PRIVATE LIMITED



Item No.	Name of the Item	Technical Specification	Unit	Quoted Rate (Nu.)	Selected Bidder
29	Jute rope	6mm	Kg	59	NEWAR ENTERPRISE
30	Jute rope	8mm	Kg	59	NEWAR ENTERPRISE
31	Knapsack Power Sprayer	Pump: Horizontal gear driving. Plunger: 1 piece (two-way operation). Stroke: 8mm. Spray Capacity: 6-8 Ltrs. Pressure: 12-25kg/cm2. Tank Capacity: 25 Ltrs. Horsepower: 1.2-1.5 HP. Air consumption: 22-26 cc. Fuel: Lubricating oil/Gasoline(25:1)	Number	7888	SHERPA ENTERPRISE
32	Knapsack Sprayer	Plastic Tank Polythene resistant to impact and corrosion. Pump Assembly Pressure chamber, Pump Barrel made of seamless brass tube. (Cap:15-20 ltrs) Discharge Line Brass Trigger cut-off device with PVC delivery hose fitted with brass spray lance with fine spray brass nozzle. Average Working Pressure: 300 KPa, Minimum Discharge Rate: 500ml/min	Number	1080	D.D Shop
33	Lawn Mower	Gsoline Operated; 4-stroke engine	Number	32109	DAWA TSHERING SHOP
34	Low tunnel film (Plastic sheet)	Double layer sheet/2 metres breadth plastic sheet/, 120 mc, Clear & Transparent film.	Kg	220	PP Traders
35	Machete/Patang (Local-made)	Medium size; Cutting edge sharpen	Number	875	D.D Shop
36	Measuring tap (100m)	100 meter, Cloth (Lenean Freeman/equivalent)	Number	1150	Ghalley Enterprise
37	Measuring tap (30m)	30 metre; Cloth (Lenean Freeman/equivalent)	Number	332	THINLEY NORBU ENTERPRISE
38	Measuring tap (50m)	50 metre; Cloth (Lenean Freeman/equivalent)	Number	580	PP Traders
39	Measuring tap (5m)	5 metre (Lenean Freeman/equivalent)	Number	101	THINLEY NORBU ENTERPRISE
40	Mulching plastic	Breadth: 1.0 meter/Length:400 meter); Black and silver film (25 mc)	Roll	1895	D.D Shop
41	Mulching plastic	Breadth: 1.2-1.5 meter/Length:400 meter); Black and silver film (25 mc)	Roll	2291	D.D Shop
42	Nursery plug tray (Non-resuable type)	Inverted pyramid shape (cavity/plug height & Diameter: All sizes)	Number	39	NEWAR ENTERPRISE
43	Nursery plug tray (Reusable type)	Sturdy traywith a minimum thickness of 0.8 mm with an inverted pyramid shape (cavity/plug height & Diameter: all sizes)	Number	65	DRUK WANGMO SUPPLIER
44	Paddy nursery tray	Material: Plastic (length: 60 cm, breadth: 30 cm, height: 3-5 cm)	Piece	150	D.D Shop
45	Parafilm Tape	Size: 2 inch Product contains polyolefin and a little bit wax Waterproof, flexible, stretchable, and self-adhesive with gentle stretch	Number	2800	WOEZER ENTERPRISE
46	Pick axe	2.5 kg (Tata/equivalent)	Number	325	Sherab Enterprise Private Limited
47	Poly pot bag (non-UV)	(Non- UV); Black Polythene (different sizes)Product contains polyolefin and a little bit wax Waterproof, flexible, stretchable, and self-adhesive with gentle stretch.	Kg	177	D.D Shop
48	Poly pot bag (UV resistance)	(UV resistance); Black Polythene (different sizes)	Kg	220	PP Traders
49	Power Chainsaw	Power Chainsaw: Displacement:72 cc, Idle Speed: 2800 rpm, Engine Power-3.9kw, Fuel Tank Capacity-0.68 Ltrs, Oil Tank Capacity: 0.37 Ltrs, Bar Length-25" (With bar, chain & tools)	Number	34500	Oli Enterprises
50	Pruning saw (with case)	High-quality steel blade and wooden handle with case. Blade Length: 8"-12" (20-30 cm). Blade Type: Can be straight or curved, with different tooth configurations for various wood types.	Number	1150	PP Traders
51	Secatuer (Bypass type)	High grade steel blades. Handle: Aluminum handle with non slip rubber grip. Cutting diameter up to 15 mm. Overall Length:175 to 200 mm (Solo/equivalent)	Number	1285	Sherab Enterprise Private Limited
52	Seeding tray	10" x 20" Web Tray with small drain holes, Material: Plastic	Number	195	D.D Shop
53	Seeding tray	Flat Tray 10"x 20" tray without drain holes, Material: Plastic	Number	195	D.D Shop
54	Serrated sickle	Stainless steel	Number	165	NEWAR ENTERPRISE



Item No.	Name of the Item	Technical Specification	Unit	Quoted Rate (Nu.)	Selected Bidder
55	Shade Net (Shade Value: 35%, Size: 1x50mtrs)	60 GSM, Material: HDPE with UV resistance treatment	Number	625	D.D Shop
56	Shade Net (Shade Value: 35%, Size: 3x50mtrs)	60 GSM, Material: HDPE with UV resistance treatment	Roll	1500	WOEZER ENTERPRISE
57	Shade Net (Shade Value: 50%, Size: 1x50mtrs)	100 GSM, Material: HDPE with UV resistance treatment	Roll	700	D.D Shop
58	Shade Net (Shade Value: 50%, Size: 3x50mtrs)	100 GSM, Material: HDPE with UV resistance treatment	Roll	1600	WOEZER ENTERPRISE
59	Shade Net (Shade Value: 75%, Size: 1x50mtrs)	120 GSM, Material: HDPE with UV resistance treatment	Roll	725	D.D Shop
60	Shade Net (Shade Value: 75%, Size: 3x50mtrs)	120 GSM, Material: HDPE with UV resistance treatment	Roll	1750	WOEZER ENTERPRISE
61	Shovel	Curved blade (V shaped)- 1.5 kg (Tata/equivalent)	Roll	315	Sherab Enterprise Private Limited
62	Shovel	Flat end blade- 1.5 kg (Tata/equivalent)	Number	335	Sherab Enterprise Private Limited
63	Sickle with handle (Local- made)	Medium size; Cutting edge sharpen.	Number	130	NEWAR ENTERPRISE
64	Spade	1 kg (Tata/equivalent)	Number	170	Sherab Enterprise Private Limited
65	Spade	1.5 kg (Tata/equivalent)	Number	200	Sherab Enterprise Private Limited
66	Sutli	Jute material	Number	145	NEWAR ENTERPRISE
68	Tarpaulin sheet	Multilayered, cross-laminated, UV-stabilized polyethylene film. GSM:300 & Size: 6x8 mtrs. (Silpaulin/equivalent)	Number	4780	D.D Shop
69	Tarpaulin sheet	Multilayered, cross-laminated, UV-stabilized polyethylene film. GSM:300 & Size: 10x12 mtrs. (Silpaulin/equivalent)	Number	10725	D.D Shop
70	Telescoping Ladder	Dimensions (when Open: 19.5"Wx3"Dx103.9"H) & (when Folded: 19.5"Wx3"Dx28.6"H)	Number	8250	Sherab Enterprise Private Limited
71	Tripod Ladder	Aluminium (Max height: 1.5 meter)	Number	9999	SHERPA ENTERPRISE
72	Wheelbarrow	Single wheel type, buckets: stainless steel	Number	3695	Sherab Enterprise Private Limited
73	Wheelbarrow	Double wheel type, buckets: stainless steel	Number	3960	Sherab Enterprise Private Limited
74	Axe	3.5 lb	Number	570	Sherab Enterprise Private Limited
75	Axe	4.1 lb	Number	595	Sherab Enterprise Private Limited
76	SWG wire guage	Round thickness stainless steel wire gauge	Number	96	WOEZER ENTERPRISE
81	Drip Kits Irrigation System	Area Coverage: 250 m square; Manufactured with virgin LLDPE materials UV stabilized; inline size:12mm; Dripper spacing 0.30m; Discharge:1.6 ltr per hr. (Jain/equivalent)	Each	3776	DRUK HORTICULTURE PRIVATE LIMITED
82	Drip Kits Irrigation System	Area Coverage: 500 m square; Manufactured with virgin LLDPE materials UV stabilized; inline size:12mm; Dripper spacing 0.30m; Discharge:1.6 ltr per hr. (Jain/equivalent)	Set	5228	DRUK HORTICULTURE PRIVATE LIMITED
83	Flexible hose pipe	Inner Dia: 12mm, Outer Dia: 16mm, Length: 30 m	Set	395	D.D Shop
84	Flexible hose pipe	Inner Dia: 20mm, Outer Dia: 25mm Length: 30 m	Roll	555	D.D Shop




Item No.	Name of the Item	Technical Specification	Unit	Quoted Rate (Nu.)	Selected Bidder
85	Water hose (PVC pipe-threaded)	Inner Dia: 12mm, Outer Dia: 16mm, Length: 50 m Tube: Black plasticized pvc, smooth interior. Reinforcement: Fabric reinforced. Cover: Smooth exterior wall. Working Pressure : 7, BP: 21 Working tempt.: (-)10 degree C to (+) 70 degree C (Duplon/equivalent)	Roll	2520	Sherab Enterprise Private Limited
86	Water hose (PVC pipe-threaded)	Inner Dia: 20mm, Outer Dia: 25mm, Length: 50 m Tube: Black plasticized pvc, smooth interior. Reinforcement: Fabric reinforced. Cover: Smooth exterior wall. Working Pressure : 7, BP: 21 Working tempt.: (-)10 degree C to (+) 70 degree C (Duplon/equivalent)	Roll	4110	Sherab Enterprise Private Limited
87	Multi pattern garden hose nozzle	5 to 8 functions sprayer, High impact resistance . Made from strong, quality materials with grip locking clip for continuous spray	Roll	250	WOEZER ENTERPRISE
88	Water storage tank (HDPE)	HDPE- 3 layer protection. Highly-durable, leak-proof, rust and corrosion-free.	Number	7	Pema Nordhen Enterprise
89	Sprinkler	Material: Plastic (Revolving-360)	Per liter	145	D.D Shop
90	Sprinkler	Material: Brass	Number	495	D.D Shop
92	Water can	10 lit (plastic)	Number	275	D.D Shop
93	Water can	5 lit (plastic)	Number	199	D.D Shop
94	Green House-I: (10mx5m at 0.5 m Arc pole Distance)	Greenhouse with galvanized steel framework with zinc coated & anti-rust. Length:10m Width: 5m & Height: 2.5-3m Arc pole to pole distance: 0.5m Top Film (Spec.): Min.140 GSM, UV stabilized, clear, anti-drip and anti-fog quality film. Light transmittance:80-90%, Min. elongation at steady load: 30%, Haze:25% to 35% & Diffusivity: more than 80% Items for Green House (Dimension & Qty) 1. Arch pole: (OD:22mm, Wall tickness:1.2mm, Length:4.5-4.7m)=42 Pcs 2. Connection pole: (OD:22mm, Wall tickness:1.2mm, Length:0.75m)=21Pcs 3. Oblique Pole: (OD:22mm, Wall tickness:1.2mm, Length:4.5-4.7m)=4 Pcs 4. Vertical Pole: (OD:22mm, Wall tickness:1.2mm, Length:5-6m)=2 Pcs 5. Front of pole: (OD:22mm, Wall tickness:1.2mm)=12 Pcs 6. Wire Clip: 21 Pcs 7. Trough: (2m)=36 Pcs 8. Connection sheet of trough: 28 Pcs 9. Reed: (2m)=36 Pcs 10. U type clip: 12 Pcs 11. Fixer of Pole trough: 108 Pcs 12. Fixer of Clamp: 40 Pcs 13. Nylon Belt Holder: 30 Pcs 14. Press sheet card: 50 Pcs 15. Sheath of Vertical Pole: 2 Pcs 16. Door: 1 No. 17. Lock of door: 2 Pcs 18. Top Film: 18mx9 m=1 No 19. Press sheet line: min. 350 m per roll=1 roll 20. Single Cross Piece: 1 Pcs 21. Screw and Nut: 1 set	Number	46485	Sherab Enterprise Private Limited



Item No.	Name of the Item	Technical Specification	Unit	Quoted Rate (Nu.)	Selected Bidder
95	Green House-II: (20mx5m at 0.5 m Arc-pole Distance)	Greenhouse with galvanized steel framework with zinc coated & anti-rust. Length:20m Width: 5m & Height: 2.5-3m Arc pole to pole distance: 0.5m Top Film (Spec.): Min.140 GSM, UV stabilized, clear, anti-drip and anti-fog quality film. Light transmittance:80-90%, Min. elongation at steady load: 30%, Haze:25% to 35% & Diffusivity: more than 80% Items for Green House (Dimension & Qty) 1. Arch pole: (OD:22mm, Wall tickness:1.2mm, Length:4.5-4.7m)=82 Pcs 2. Connection pole: (OD:22mm, Wall tickness:1.2mm, Length:0.75m)=41Pcs 3. Oblique Pole: (OD:22mm, Wall tickness:1.2mm, Length:4.5-4.7m)=4 Pcs 4. Vertical Pole: (OD:22mm, Wall tickness:1.2mm, Length:5-6m)=4 Pcs 5. Front of pole: (OD:22mm, Wall tickness:1.2mm)=12 Pcs 6. Wire Clip: 41 Pcs 7. Trough: (2m)=56 Pcs 8. Connection sheet of trough:44 Pcs 9. Reed: (2m)=56 Pcs 10. U type clip: 12 Pcs 11. Fixer of Pole trough: 184 Pcs 12. Fixer of Clamp: 46 Pcs 13. Nylon Belt Holder: 50 Pcs 14. Press sheet card: 60 Pcs 15. Sheath of Vertical Pole: 2 Pcs 16. Door: 1 No. 17. Lock of door: 4 Pcs 18. Top Film: 28mx9 m=1 No 19. Press sheet line: min. 350 m per roll=1 roll 20. Single Cross Piece: 2 Pcs 21. Screw and Nut: 1 set	Set	71375	Sherab Enterprise Private Limited
96	Green House-III: (10mx5m at 1.0 m Arc-pole Distance)	Greenhouse with galvanized steel framework with zinc coated & anti-rust. Length:10m Width: 5m & Height: 2.5-3m Arc pole to pole distance: 1.0m Top Film (Spec.): Min.140 GSM, UV stabilized, clear, anti-drip and anti-fog quality film. Light transmittance:80-90%, Min. elongation at steady load: 30%, Haze:25% to 35% & Diffusivity: more than 80% Items for Green House (Dimension & Qty) 1. Arch pole: (OD:25mm, Wall tickness:1.3mm, Length:4.5-4.7m)=22 Pcs 2. Connection pole: (OD:25mm, Wall tickness:1.3mm, Length:0.75m)=11Pcs 3. Oblique Pole: (OD:25mm, Wall tickness:1.3mm, Length:4.5-4.7m)=4 Pcs 4. Vertical Pole: (OD:25mm, Wall tickness:1.3mm, Length:5-6m)=6 Pcs 5. Front of pole: (OD:25mm, Wall tickness:1.3mm)=12 Pcs 6. Wire Clip: 33 Pcs 7. Trough: (2m)=36 Pcs 8. Connection sheet of trough:28 Pcs 9. Reed: (2m)=36 Pcs 10. U type clip: 12 Pcs 11. Fixer of Pole trough: 68 Pcs 12. Fixer of Clamp: 40 Pcs 13. Nylon Belt Holder: 30 Pcs 14. Press sheet card: 50 Pcs 15. Sheath of Vertical Pole: 6 Pcs 16. Door: 1 No. 17. Lock of door: 2 Pcs 18. Top Film: 18mx9 m=1 No 19. Press sheet line: min. 350 m per roll=1 roll 20. Single Cross Piece: 1 Pcs 21. Screw and Nut: 1 set	Set	40300	D.D Shop



Item No.	Name of the Item	Technical Specification	Unit	Quoted Rate (Nu.)	Selected Bidder
97	Green House-IV: (20mx5m at 1.0 m Arc-pole Distance)	Greenhouse with galvanized steel framework with zinc coated & anti-rust. Length:20m Width: 5m & Height: 2.5-3m Arc pole to pole distance: 1.0m Top Film (Spec.): Min.140 GSM, UV stabilized, clear, anti-drip and anti-fog quality film. Light transmittance:80-90%, Min. elongation at steady load: 30%, Haze:25% to 35% & Diffusivity: more than 80% Items for Green House (Dimension & Qty) 1. Arch pole: (OD:25mm, Wall tickness:1.3mm, Length:4.5-4.7m)=42 Pcs 2. Connection pole: (OD:25mm, Wall tickness:1.3mm, Length:0.75m)=21Pcs 3. Oblique Pole: (OD:25mm, Wall tickness:1.3mm, Length:4.5-4.7m)=4 Pcs 4. Vertical Pole: (OD:25mm, Wall tickness:1.3mm, Length:5-6m)=12 Pcs 5. Front of pole: (OD:25mm, Wall tickness:1.3mm)=12 Pcs 6. Wire Clip: 63 Pcs 7. Trough: (2m)=56 Pcs 8. Connection sheet of trough:44 Pcs 9. Reed: (2m)=56 Pcs 10. U type clip: 12 Pcs 11. Fixer of Pole trough: 104 Pcs 12. Fixer of Clamp: 46 Pcs 13. Nylon Belt Holder: 50 Pcs 14. Press sheet card: 60 Pcs 15. Sheath of Vertical Pole: 6 Pcs 16. Door: 2 No. 17. Lock of door: 2 Pcs 18. Top Film: 28mx9 m=1 No 19. Press sheet line: min. 350 m per roll=1 roll 20. Single Cross Piece: 2 Pcs 21. Screw and Nut: 1 set	Set	65200	D.D Shop
98	Greenhouse plastic/Top Film: (for 10mx5m sized Greenhouse)	(Film measurement: 18mx9 m): Min.140 GSM, UV stabilized, clear, anti-drip and anti-fog quality film. Light transmittance:80-90%, Min. elongation at steady load: 30%, Haze:25% to 35% & Diffusivity: more than 80%	Set	5732	D.D Shop
99	Greenhouse plastic/Top film: (for 20mx5m sized Greenhouse)	(Film measurement: 28mx9 m): Min.140 GSM, UV stabilized, clear, anti-drip and anti-fog quality film. Light transmittance:80-90%, Min. elongation at steady load: 30%, Haze:25% to 35% & Diffusivity: more than 80%	Number	10010	D.D Shop
100	Greenhouse tension belt/Press sheet line	Flat plastic belts with smooth & round edges	Number	911	D.D Shop
101	Ventilation Net (for 10m x 5m sized Greenhouse)	Insect Net: 40 mesh (2mx11m)-2 Roll Roof-Up Pipe: 5m (4 Pcs) Roof-Up Post guide: 2 Pcs Roll Up Machine: 2 Pc PE Clip: 20 Pcs	Roll	6305	Sherab Enterprise Private Limited
102	Ventilation Net (for 20m x 5m sized Greenhouse)	Insect Net: 40 mesh (2mx21m in roll)-(2 Roll) Roof-Up Pipe: 5m (9 Pcs) Roof-Up Post guide: 2 Pcs Roll Up Machine: 2 Pc PE Clip: 40 Pcs	Set	8250	D.D Shop
104	Transparent plastic sheet (ROLL)	1 mm Thickness	Roll	2300	D.D Shop
105	Rosin	100% pure, translucent (pH 0-14), 100 Strips/pack	litre	249	NEWAR ENTERPRISE
106	Carbide Tipped Drill Bit (for mushroom cultivation)	12mm dia	Nos	1855	Sherab Enterprise Private Limited
107	Drill Machine (For mushroom cultivation)	ES/ DM1107/ Mushroom Drill 500W, 220V, 30000rpm	Nos	21755	Sherab Enterprise Private Limited
108	Oil Free Compressor	Model No. GA750-2-50L; Power: 1.5KW/2HP; Pressure: 8 Bar/116PSI; Exhaust Volume: 270LPM; Rated Voltage:240V/50Hz; Tank capacity: 50L (with all necessary fittings and couplings)	Nos	25950	Sherab Enterprise Private Limited
109	Spawn Injecting Gun	Air supply 0.15-0.9MPa (1.5-9kg/cm2)	nos	47470	Sherab Enterprise Private Limited
110	Garden -Flexible-reinforced (water hose pipe yellow)	Garden -Flexible-reinforced (water hose pipe yellow)	Roll	855	D.D Shop



Item No.	Name of the Item	Technical Specification	Unit	Quoted Rate (Nu.)	Selected Bidder
111	Shade net	70% Shade Value	Nos	1500	WOEZER ENTERPRISE
112	Sprinkler	360 degree water sprinkler lawn sprayer rotating irrigation spike for garden lawn tool	Nos	650	D.D Shop
113	Electric dryer	SN-1200-CSI (Elecrtic dreyer for Agro- Fishery products	Nos	121000	Sherab Enterprise Private Limited
115	Data Logger	TempU 03	Nos	5555	SHERPA ENTERPRISE



Sl. No	Selected Bidder	Contact No	Email address
1	DRUK WANGMO SUPPLIER	17332706/1 7846320	khanduwangmo3@gmail.com
2	WOEZER ENTERPRISE	17646907	woezerenterprise@gmail.com
3	Oli Enterprises	17710429	
4	SHERPA ENTERPRISE	17800395	mandal_somu@yahoo.com
5	THINLEY NORBU ENTERPRISE	17513244	thrinleenorbooz@yahoo.com
6	D.D Shop	17110328	wangdidd@gmail.com
7	NEWAR ENTERPRISE	17607515	newarent16@gmail.com
8	DP ENTERPRISE	17118268	enterprisedp123@yahoo.com
9	Sherab Enterprise Private Limited	17622602	namgay.nd@gmail.com
10	DAWA TSHERING SHOP	17711469	dgyeltshen2000@gmail.com
11	PP Traders	17663375	ptraders38@gmail.com
12	Pema Nordhen Enterprise	17600884	jamesbay20@gmail.com
13	Bhutan Agri-Tech	17638349	anupp0055@gmail.com
14	DRUK HORTICULTURE PRIVATE LIMITED	77232529	drukhorticulture2014@gmail.com
15	ASIAN TRADING	17809907	asiantrading09@gmail.com
16	B.D Commercial	17602220	bdcommercialthimphu@gmail.com
17	Ghalley Enterprise	17710429	mohankumarghalley642@gmail.com

